LOYOLA UNIVERSITY

Annual Alcohol and Other Drug Notification of Standards and Sanctions, Health Information, and Services

2015-2016

Human Resources 4501 North Charles Street Baltimore, MD 21210 Phone # 410-617-2354 Fax # 410-617-5072 http://www.loyola.edu/department/hr Student Support and Wellness Promotion 4501 North Charles Street Seton Court 02B Baltimore, MD 21210-2699 Phone # 410-617-2928 FAX # 410-617-5307 http://www.loyola.edu/department/sswp

I. Introduction

The information contained in this document is required by federal law to be given out annually to all students, faculty, administrators, and staff. This document provides information about:

- Health risks associated with the use of alcohol and other drugs
- Summary of legal sanctions
- Summary of alcohol and other drug policies, and regulations for students
- · Summary of alcohol and other drug policies, and regulations for faculty, administrators, and staff
- Counseling and treatment services available for students
- Counseling and treatment services available for faculty, administrators, and staff
- Resources and services available to students, faculty, administrators, and staff

II. Health Information

The following points deserve special emphasis:

- 1. Severe consequences can result from the use and abuse of alcohol and other psychoactive substances, without the development of alcoholism or other drug use disorder.
- 2. Alcohol and other drug use disorders can and do develop rapidly in teenagers and young adults.
- 3. Although addictive disease can develop in almost any chronic user of psychoactive substances, persons from families with a history of alcoholism, especially in parents or grandparents, are <u>at a greater risk</u> to develop alcohol problems themselves. Surveys of incoming Loyola students and their parents show that forty percent reported alcohol or other drug problems in blood relatives. Students with such a family history tend also to be at risk to develop other problems, including eating disorders and difficulties in intimate relationships.
- 4. Use of any non-physician prescribed medications, especially pain killers such as OxyContin, can result in addiction and pose dangers of overdose.
- 5. A number of college students in the United States dies each year from excessive alcohol use. Drinking too much alcohol too fast can kill you. Mixing alcohol and other drugs, whether prescribed, over the counter medications, or street drugs, can also be deadly. If you encounter a person who is passed out, or unconscious and cannot be easily aroused, or appears to have trouble breathing, it can be a fatal decision to put the person to bed, unattended, "to sleep it off." The safest action is to call for help. Call Campus Police x5911 and 911.

Health Risks: Alcohol

Alcohol, a drug, is a central nervous system depressant. With moderate drinking a person may experience flushing, dizziness, dulling of senses, and impairment of coordination, reflexes, memory and judgment. Taken in larger quantities, death may occur due to depression of the parts of the brain that control breathing and heart rate. Drinkers who also smoke are more at risk for developing certain cancers. Pregnant women who drink risk fetal alcohol syndrome in the newborn. It is important to read labels of over-the-counter medications for cautions about the use of alcohol while on a particular medication.

College students who drink to get drunk are at significant risk while drinking for personal injury, acquaintance rape, and unplanned, unprotected sexual activity which could result in pregnancy and exposure to sexually transmitted infections (STIs), including the AIDS virus, and genital human papillomavirus (HPV), Chlamydia, and genital herpes.

The dangers of drinking and driving cannot be overemphasized. Data suggest that despite widespread knowledge of these dangers, a significant number of students continue to drive under the influence of alcohol.

Health Risks: Controlled Psychoactive Substances

For a listing of possible effects, effects of overdose, withdrawal signs and symptoms, and potential for dependence of substances regulated under the Federal Controlled Substances Act (21 U.S.C. 811), refer to Table 1, attached to this document.

Prescription Pain Relievers (codeine, oxycodone, hydrocodone, etc.)

Whether Swallowed, Snorted, Smoked, or Injected, these Drugs Are Highly Addictive, Pose Serious Overdose Dangers, and Their Unlawful Use Can Result in Serious Criminal Penalties.

The drugs referred to include: Opium/morphine/codeine; Oxycodone (trade names include Percodan, Percocet and OxyContin); Hydromorphone (Pallodone, Dilaudid); Hydrocodone (Vicodin, Lortab); Meperidine (Demerol); Fentanyl; Methadone; and Buprenorphine. Use or possession of these drugs by anyone not the holder of a lawful prescription is a crime subjecting the offender to serious criminal penalties including imprisonment. Unlawful (no valid prescription) possession and use of these drugs by a Loyola University student will constitute grounds for suspension or expulsion from the University. Abuse of these opiate drugs has increased in recent years on college campuses, especially by snorting or smoking of the drugs rather than by intravenous use. Users believe, erroneously, that avoidance of dangers associated with I.V. use, such as HIV and hepatitis disease, by snorting or smoking the drugs, reduces the dangers of physical dependence, addiction, and overdose. That belief is dangerously incorrect.

Dangers Associated with Non-Prescribed Use of Pain Relievers

Overdose. Let's use oxycodone as an example. Like other narcotic medications, oxycodone can impair mental and physical abilities, and is a central nervous system depressant. Side effects include breathing irregularity or respiratory depression, headaches, nausea, dizziness, seizures, low blood pressure, and heart failure. Overdose death is possible due to cardiac arrest or slowed breathing, especially when ingesting or snorting crushed pain relievers.

Addiction and Physical Dependence

Addiction basically means a pattern of use of a drug despite adverse consequences. What is important is not necessarily how often the addict uses, but what happens when he/she does use. The addict may not be physically dependent on the opiate in order to have an addiction. Addiction is characterized by behaviors that include one or more of the following: impaired control over drug use (loss of control), compulsive use, continued use despite harm, and craving. Physical Dependence is a state of adaptation that is manifested by a drug class specific withdrawal syndrome that can be produced by abrupt cessation, rapid dose reduction, or decreasing blood level of the drug. Any individual who takes an opiate, regardless of the reason, will, after use every four hours or so, over a week to 10 days (or less), become physically dependent on the drug and go into withdrawal upon abruptly stopping

The short term withdrawal, as unpleasant as it may be, is the easy part of addiction recovery. Recovery from opiate addiction is possible, but is difficult. The opiate addict needs comprehensive treatment and support in order to put together a long term recovery. Treatment often includes completion of a residential treatment program or of an intensive outpatient treatment program, and regular, preferably daily, attendance of Twelve Step meetings such as Narcotics Anonymous. Any Loyola University student with concerns about drug addiction may call, The Office of Student Support and Wellness Promotion, to schedule a confidential appointment with a counselor: 410-617-2928.

Club Drugs

Rohypnol, GHB, and Ecstasy ("Molly"), described below, are "club drugs" found at dance parties, "raves", "trances", dance clubs, and bars. Rohypnol and GHB are also reported to have been used in sexual assaults on college campuses in the United States, primarily in combination with alcohol. News stories have been published of unsuspecting use by women followed by rape and inability by the victim to clearly identify the perpetrator due to memory impairment caused by the drug. Students should exercise caution in drinking situations. Here are some ways to try to protect oneself:

- Do not go to parties alone; there is safety in numbers.
- Do not accept a mixed drink, or opened container; watch your drink being mixed.
- Don't share or exchange drinks with others.
- Don't leave your drink unattended.
- If you feel disoriented, out-of-control, or not able to care for yourself, or make decisions, ask for help from a trustworthy person.

Prescription Stimulant Abuse

Students sometimes use non-prescribed (i.e., not prescribed for them) stimulants such as Adderall, Concerta, or Ritalin to cram for tests or do an "all-nighter" to write a paper. Use of these non-prescribed stimulants is dangerous, unlawful, associated with other harmful behaviors, and does not result in academic success.

- 1) Nonmedical prescription stimulant users typically have lower grade point averages than non-users, suggesting that academically successful students are not likely to use prescription stimulants nonmedically.
- 2) Nonmedical prescription stimulant users are more likely than other students to be heavy drinkers and users of other illicit drugs.
- 3) Use of someone else's prescription drug can result in serious criminal penalties, including suspension or expulsion from the University. Abuse of these stimulants can cause serious cardiovascular, central nervous system, and other medical problems. Taking stimulants without a doctor's prescription can cause dangerous side effects in individuals with heart disease, high blood pressure, overactive thyroid, anxiety, mental illness, and other medical conditions.

Marijuana (tetrahydrocannabinol)

Marijuana has the reputation among many as a "no big deal" drug; "It's just pot." There are a number of points to consider in making a decision to use marijuana or not. The obvious point to be made first is that purchase and possession of this illegal substance (regardless of whether one agrees with this legal policy or not), is dangerous in terms of circumstances of purchase on the street, can result in criminal charges, and, of course, can result in serious disciplinary consequences at Loyola University Maryland, including suspension from the institution.

The effects of chronic use of marijuana are not as obviously devastating as those associated with other "harder" drugs. Indeed, the fact that the effects are not as dramatic tends to play into the denial that this drug is addictive and dangerous. Marijuana is not a benign drug. The disruption of short term memory from use of marijuana is well established. There can also be serious effects on motivation, drive, and focus that often do not become apparent until too late, after the person stops using the drug. For some, marijuana use results in addiction, meaning use of

the drug adversely affects significant areas of the user's life: academics, relationships, legally, and at times medically (for example use while on an anti-depressant medication). For some, use of the drug can trigger, or be associated with, development of mental health problems such as anxiety and depression. Finally, and not usually considered by traditional college age students, a pattern of marijuana use, say, one to two times a week, even if not resulting in addiction or adverse effects, can pose serious obstacles to employment where in depth background checks are done (for example, for security clearance reasons). Investigators will interview college friends and acquaintances. A pattern of marijuana use may result in denial of employment.

Miscellaneous Drugs

These drugs are not sold through legitimate channels. As with all drugs purchased on the "street" or over the internet, one must be aware of the dangers of using an unknown, unregulated substance.

• <u>Synthetic stimulants ("bath salts")</u> are designer drugs that were made illegal to possess in the U.S. by the Drug Enforcement Administration in October 2011; have effects similar to other drugs such as MDMA, LSD, and amphetamines; effects include agitation, insomnia, irritability, dizziness, depression, paranoia, delusions, suicidal thoughts, seizures, panic attacks. impaired perception of reality, reduced motor control, and decreased ability to think clearly; rapid heart rate, chest pains, nosebleeds, sweating, nausea, and vomiting. Possession of drugs can result in suspension or expulsion from the University.

• K2 or Spice ("fake weed")

A mixture of herbs and spices that is typically sprayed with a synthetic compound chemically similar to THC, the psychoactive ingredient in marijuana; made illegal by the Drug Enforcement Administration in March 2011. Effects are similar to marijuana and can include paranoia, anxiety, increased heart rate and blood pressure. Possession of these drugs can result in suspension or expulsion from the University.

III. Summary of Legal Sanctions

Legal Sanctions

The possession, use or distribution of drugs, drug paraphernalia, or alcohol by Loyola University students or employees on campus or at any University sponsored or related activity is subject to applicable federal, state and local laws. Criminal sanctions for illegal drug and alcohol activity are severe. Loyola University students or employees are not exempt from these laws by virtue of their status as students or their presence on Loyola University property. The information in this document is provided for informational purposes only and is not intended to describe fully all of the pertinent laws regarding drug or alcohol offenses.

Federal Sanctions

Federal law prohibits generally the manufacture, distribution, or dispensing of a controlled dangerous substance and, under certain circumstances, of a counterfeit substance. It is also a crime to possess a controlled dangerous substance with the intent to manufacture, distribute or dispense the substance. Conviction for one of these "distribution offenses" is punishable by a prison sentence, the length of which depends on the type and amount of the drug involved. In addition to the prison sentence the penalty may also include a fine.

Federal law also provides stiff penalties for "simple" possession. For a first conviction for possession of a controlled substance, the law provides for up to one year imprisonment and mandates a fine of at least \$1000. With each drug conviction, the penalties increase. Further, federal law states that a first conviction for any federal or state drug possession offense may disqualify the offender from receiving any federal benefits (including, for example, student loans) for up to one year.

State and Local Sanctions

Maryland law states that an individual convicted of the manufacture, distribution, dispensing, or possession of certain controlled dangerous substance with an intent to do any of the foregoing is subject to imprisonment for up to 20 years, or a fine of up to \$25,000, or both. As with federal law, the penalty varies depending on the drug types and amount and the Maryland statute provides for increasingly stiff penalties with each drug offense conviction. Repeat offenders are subject to a mandatory prison sentence of at least two years. A felony conviction for bringing into Maryland certain illegal drugs can carry a prison sentence of up to 25 years and a fine of up to \$50,000. Conviction of possession of controlled substances also carries penalties. For example, if convicted of possession of marijuana, an individual faces a prison sentence of up to one year and/or a fine of up to \$1,000, and for the possession of other controlled dangerous substances, a prison term of up to four years and/or a fine of up to \$25,000. In general, under Maryland law it is unlawful for any person under 21 years of age to possess alcoholic beverages or for any person to furnish alcoholic beverages to another if he or she knows the recipient of the beverage is under 21 years old. Any person over 18 violating these sections of the law may be fined up to \$500 for a first offense and \$1000 for a second offense.

This description is only a brief summary of some of the sanctions under federal and state drug and alcohol offense statutes. It does not identify all sanctions; for example, there are statutes which provide for enhanced penalties for the manufacture or distribution of drugs in or near schools or colleges, and statutes which result in property forfeiture. Concerned individuals should consult state or federal prosecutors or their own attorneys for further information.

IV. Summary of Alcohol and Drug Policies, and Regulations for Students

Points of Emphasis

- The vast majority of Loyola students who consume alcohol drink responsibly, with over 11% of Loyola students choosing not to drink at all. 85% of students drink two times per week or less and over 48% of students drink one time per week or less. Most students who drink engage in safe drinking practices such as pacing their drinks to maintain a low BAC (blood alcohol concentration).
- Loyola University, through The Office of Student Support and Wellness Promotion (SSWP), conducts alcohol
 and other drug abuse prevention education programs, developed and presented with involvement of peer
 educators. SSWP provides confidential intervention, support, education, and referral services for students
 with, or at risk to develop, alcohol or other drug (AOD) problems, including individual and group counseling.
 Substance free housing is available through the Office of Student Life.
- Help is also available to students experiencing difficulty due to the AOD use of someone close to them, including a roommate, significant other, or parent, in the latter case often called "Adult Children of Alcoholics" (ACOAs). SSWP offers weekly, confidential support groups for student with parents or other loved ones with alcohol or drug problems. There are twelve step meetings on, and close by, campus, (e.g., Alcoholics Anonymous, Narcotics Anonymous, Al-Anon). SSWP has a solid core of Loyola students and recent graduates in recovery to act as contacts to aid a student new to recovery. SSWP also offers weekly confidential support groups for students in recovery or who for any reason have chosen to not use drugs or alcohol.
- Loyola University's policies and regulations, consistent with federal, state and local laws, prohibit unlawful possession, use, or distribution of AOD on its property or as part of its activities. Involvement in the sale, or issuance of a false ID is a violation of Maryland law. Fraudulently altering or using a driver's license to obtain alcoholic beverages can result in loss or suspension of the license. A person under 21 years of age driving or attempting to drive a motor vehicle may, under Maryland law, be fined up to \$500 and have his/her driver's license suspended if found to have a blood alcohol level of .02 or above. This level can result from as little as one beer or glass of wine.
- Students under the age of 21 may not lawfully purchase, or consume alcoholic beverages, and face consequences for doing so which, in addition to mandatory attendance of education classes, or evaluation to identify potential problem use, include suspension from residence halls, or suspension or expulsion from the University, with completion of substance dependence treatment a condition for return to the University, if appropriate. Students illegally using a drug(s) other than alcohol also face consequences that include suspension, mandatory random drug tests, suspension or expulsion, with treatment as a condition for return, as appropriate.

Material in this document is not intended to be, and is not, a comprehensive statement of applicable laws. Students are subject to all applicable local, state, and federal laws regarding alcohol and other drugs, and are not exempt from enforcement of these laws by virtue of their status as Loyola students or their presence on Loyola University property.

Concerned individuals should consult state or federal prosecutors or their own attorneys for legal advice or clarification of legal matters.

Loyola University's policies and regulations, consistent with federal, state and local law and regulations, prohibit the unlawful possession, use, or distribution of illicit drugs and alcoholic beverages by students on its property or as part of its activities. Use of illicit drugs by a student is grounds for severe sanctions, including suspension, mandatory random drug testing, or expulsion, and may result in referral to authorities for prosecution. Use of alcohol by any student under age of 21 years is prohibited and may provide grounds for sanctions that may include referral for alcohol and drug education, and other action up to expulsion. Similarly, students whose behaviors involve charges of other violations of University regulations, including the *Community Standards*, and indicate problematic use of alcohol or other drugs, may be referred to the Office of Student Support and Wellness Promotion professional staff for assessment as to the presence of alcohol or drug dependence and referral for education and/or treatment on or off campus, as appropriate. Completion of referral recommendations may be included as part of the sanctions for these violations.

University Regulations

Loyola University's regulations, set forth in detail in the *Loyola University Community Standards 2015-2016* and summarized here, prohibit unlawful possession, use, or distribution of drugs, drug paraphernalia and alcoholic beverages, and provide for prompt imposition of consequences for violative behaviors, upon completion of prescribed procedures that include opportunity for hearing and appeal. The possible sanctions include, but are not limited to, suspension or expulsion, and may result in referral to authorities for prosecution in the case of conduct in violation of Federal, State, or local law. The basic principle underlying these regulations is that each student is responsible for his or her behavior and its consequences, intended or unintended, in violation of prescribed rules of conduct. When available information suggests the behavior to be related to dependence on alcohol or other drugs, the student involved may be provided an opportunity for appropriate treatment interventions as a part of or in addition to other sanctions.

Illicit Drugs and Paraphernalia

It is a violation of University regulations for a student to unlawfully use, possess (including non-prescribed medications), administer to another, or to manufacture, distribute, or dispense any controlled dangerous substance or drug paraphernalia. Controlled dangerous substances include, but are not necessarily limited to, the following classes of psychoactive substances: amphetamine, cannabis (marijuana, THC), cocaine, hallucinogens, opiates, codeine, morphine, heroin, methadone, and buprenorphine), phencyclidine (PCP), and sedatives, hypnotics and anxiolytics. Paraphernalia include: hypodermic syringes, gelatin capsules, substances used to cut drugs (for example, quinine), testing equipment, mixing devices, scales, pipes, roach clips, cocaine spoons, bongs.

Alcoholic Beverages

The University's prohibitions and sanctions relative to alcoholic beverages are set forth in detail in the *Loyola University Community Standards 2015-2016*. Violations carry penalties ranging from fines, parental and academic adviser notification, suspension from housing, suspension or expulsion from the University, to referral to State or local authorities. For any misuse or abuse of alcohol, the University reserves the right to mandate that a student attend alcohol education classes and/or receive an assessment by a counselor in Student Support and Wellness Promotion and follow that individual's educational and/or treatment recommendations.

V. Summary of Alcohol and Drug Policies, and Regulations for Faculty, Administrators, and Staff

Points of Emphasis

- The EAP, and your medical benefits, provides confidential intervention, support, and referral services for employees with, or at risk to develop alcohol or other drug problems. Help is also available to employees experiencing difficulty due to the alcohol or other drug use of someone close to him or her.
- Loyola University's policies and regulations, consistent with federal, state, and local laws, prohibit unlawful possession, use, or unauthorized distribution of alcohol or other drugs on its property.
- Employees illegally using a drug(s) face consequences that include suspension and expulsion from the university.
- Material in this document is not intended to be, and is not, a comprehensive statement of applicable laws.
 Employees are subject to all applicable local, state, and federal laws regarding alcohol and other drugs, and are not exempt from enforcement of these laws by virtue of their status as Loyola University employees or their presence on Loyola University property. Concerned individuals should consult state or federal prosecutors or their own attorneys for legal advice or clarification of legal matters.

University Regulations for Faculty, Staff, and Administrators

Consult the Loyola University Maryland Staff and Administrator Policy Manual,

http://www.loyola.edu/department/hr/about/policy.aspx, Code of Conduct, section 8.12 or the Loyola University Faculty Handbook,

https://inside.loyola.edu/worklife/governance/academic/Documents/academicaffairs/documents/FINAL-2014-2015%20Faculty%20Handbook.pdf, **Appendix G for policies in connection with drugs and alcohol.**

Drugs

All persons employed by the University are responsible for performing their duties effectively and safely for the community's health and safety. Therefore, it is imperative that Loyola as a community operate in an environment free from illegal drugs and other controlled substances, specifically:

- The manufacture, sale, possession, distribution, or use by employees in the workplace of a controlled substance or drug not medically authorized is strictly prohibited.
- An employee may not be under the influence of a controlled substance, alcohol, over-the-counter medication or prescription drug which affects job performance or poses a hazard to the safety and welfare of the employee or other employees.
- Employees are required to report his/her criminal drug statute conviction for a violation occurring in the workplace to his/her immediate supervisor/department chair within five days after such conviction. As applicable, the University will, in turn, also notify the appropriate federal granting/contracting agency of such conviction within 10 days after receiving notice from the employee.
- Information on the dangers of drug abuse and the availability of counseling and rehabilitation assistance is provided through the Health Services Center, the Counseling Center, alcohol and drug education and support services or the human resources office and is distributed annually to each employee.
- Certain staff positions require pre-employment physicals involving a drug/alcohol screen. Additional required screens include but are not limited to: reasonable suspicion, reliable information, post-accident, random, return-to-duty, and follow-up. Compliance with this policy is a condition of employment. Any violation of this policy will result in disciplinary action, including, but not necessarily limited to required participation in a rehabilitation program, suspension from duties or dismissal from employment.

Alcohol

All members of the University community are to act in a manner consistent with the alcohol policy of the University. This policy is to be observed in the planning and hosting of functions, both public and departmental, on the campus or at University sponsored activities. Alcohol-free events are to be encouraged.

- Persons under the age of 21 and visibly intoxicated persons may not be served alcoholic beverages. All alcoholic beverages should be served by a bartender(s); the bartender(s) should be over the age of 21 and should be instructed to ask for proof of age.
- Food and non-alcoholic beverages should be provided and made easily available to all guests.
- The quantity of alcohol offered and the length of time during which alcohol is offered should be monitored by the host or hostess.
- Persons who are visibly intoxicated may not be served.
- Announcements and advertising of such events should not feature nor promote alcoholic beverages as the focus of the event.
- The unlawful possession, use, or distribution of alcoholic beverages is strictly prohibited on University property or as part of its activities.

VI. Counseling and Treatment Services Available for Students

The Office of Student Support and Wellness Promotion: This Department is staffed by a full time Director, Mary Beth Mudric, PhD.; a part time educator and counselor, Cindy Parcover, MS, LCPC; a full time educator and counselor, Zachary Hitchens, MS, NCC; and an Administrative Assistant Danielle Avent, MBA. Department offices are located in Seton Court 02B next to the Health Center on the west side of campus. *Call 410-617-2928 for information or for a confidential individual session with a counselor to discuss any of the information in this document*, or visit our Web Site: http://www.loyola.edu/department/sswp, which provides information about alcoholism and related problems and SSWP services. SSWP services are free to Loyola undergraduate and graduate students. Services available to students include:

- Individual counseling
- Group counseling
- Education programs
- Think About It-online education program

Cardoner Collegiate Recovery Community: The program strives to support students in recovery from substance use disorders, through helping create connections, not only to other students in recovery but to the Baltimore recovery community as well. By building connections our program provides hope to our students while helping them connect to Loyola, through, activities, community service, and engagement with campus clubs and organizations. It is our goal to help our students better understand, build, and grow in their recovery, which will continue after their time at Loyola. Students interested in the Cardoner Program can contact Zachary Hitchens, M.S., NCC via email at zthitchens@loyola.edu or by phone at 410-617-2928.

VII. Counseling and Treatment Services Available for Faculty, Administrators, and Staff

Employee Assistance Program

The Employee Assistance and Referral program for Faculty, Staff, and Administrators is a benefit that provides professional and confidential assessment, referrals or short-term problem-solving to eligible participants and their family members. Among the types of problems for which assistance is provided are marital or family problems, job problems, emotional distress, gambling, financial, legal, health, or addiction problems. Services begin on the first of the month coinciding with, or following, date of hire. There is no cost to participants or family members for services provided through this plan. EAP can be reached at 1-800-765-0770.

Medical Benefits (for benefits eligible Faculty, Administrators, and Staff)

Substance Abuse Services	CareFirst BCBS PPO		BlueChoice HMO		HealthyBlue HDHP	
	In-Network	Out-of- Network	In-Network	Out-of- Network	In-Network	Out-of- Network
Inpatient Preauthorization required; 20% non- compliance penalty	No Deductible; 20% coinsurance	Deductible then 40% coinsurance	Deductible then no member liability	N/A	Deductible then \$300 copay per admission copay	Deductible then \$500 copay per admission copay
Outpatient	Facility: No member liability Office: \$25 copay	Deductible then 40% coinsurance	Deductible then no member liability	N/A	Deductible, then no member liability	Deductible, then \$50 copay

For more detailed information please contact Maurisha Hooper, Associate Director, Benefits and Wellness, at 410 617-1368, mhooper@loyola.edu. The Benefits and Wellness office is located at 5000 York Road in the Human Resources Office. Call 410-617-2354 for directions.

VIII. Resources and Services Available to Students, Faculty, Administrators, and Staff

The following is a list of resources available in the Baltimore area that provide support and or treatment for alcohol and other drug use disorders or related issues. This list is not exhaustive but does provide links to helping members of the Loyola University Maryland campus community connect to additional resources. These resources are not affiliated with Loyola University Maryland and their inclusion in this document is not an endorsement by the University.

Peer Support Fellowships:

Alcoholics Anonymous: www.aa.org Narcotics Anonymous: www.na.org Al-Anon Family Groups: www.al-anon.org

Substance Use Treatment Locator:

SAMHSA, Behavioral Health Treatment Services Locator: https://findtreatment.samhsa.gov/

Table 1. Controlled Substances—Uses & Effects*

Drugs	Physical Dependence	Psychological Dependence	Possible Effects	Effects Of Overdose	Withdrawal Syndrome		
NARCOTICS					Yawning		
Morphine	High	High		Slow and shallow Breathing Clammy skin Convulsions Coma Possible death	Loss of appetite Irritability Tremors Panic Cramps Nausea Runny nose Chills and sweating Watery eyes		
Codeine	Moderate	Moderate	Euphoria Drowsiness				
Heroin Hydrocodone Hydromorphone Oxycodone (OxyContin) Methadone and LAAM	High	High	Respiratory depression Constricted pupils Nausea				
Fentanyl and Analogs	High	High					
DEPRESSANTS							
Chloral Hydrate	Moderate	Moderate	Slurred speech Disorientation	Shallow respiration Clammy skin Dilated pupils Weak and rapid pulse Coma Possible death	Anxiety Insomnia Tremors Delirium Convulsions Possible death		
Barbiturates Benzodiazepines	High-Moderate	High-Moderate	Drunken behavior without odor of alcohol				

Ketamine (Special K)	Possible	Unknown	Psychedelic effects Muscle rigidity Aggressive/violent behavior Exaggerated strength Euphoria Illusions, Hallucinations Dissociation Impervious to pain	Vomiting Convulsions Possible death	Unknown		
STIMULANTS							
Cocaine (crack) Amphetamine Methamphetamine Ritalin (methylphenidate)	Possible	High	Increased alertness Euphoria Increased pulse rate and blood pressure Excitation Insomnia Loss of appetite	Agitation Increased body temperature Hallucinations Convulsions Death	Apathy Long periods of sleep Irritability Depression Disorientation Pleasurelessne ss		
Ecstasy (MDMA)	Unknown	Moderate	Same as stimulants Nausea Jaw muscle clenching Heightened aware- Ness Calm empathy	High body temp- erature High blood pressure Seizures Acute anxiety	Flashbacks Possible effects on memory		
CANNABIS							
Marijuana	Possible	Moderate	Euphoria Relaxed inhibitions Increased appetite Disorientation	Fatigue Paranoia Possible Psychosis	Insomnia Appetite loss Headache Aches, chills Craving		
HALLUCINOGENS	HALLUCINOGENS			Paranoia			
Phencyclidine and Analogs (PCP)	Unknown	High	Illusions/ hallucinations Misperception time Dissociation Depersonalization Combativeness Amnesia Impervious to pain	Seizures High blood pressure Longer trips Psychosis Catatonia Coma Possible death	Unknown		
LSD	None	Moderate	Stimulant effects Light trails Sensory distortion Depersonalization	Acute anxiety/panic Paranoia Delusions Psychosis	None		

^{*}Adapted from Higher Education Center for Alcohol and Other Drug Education and Prevention: Complying With the Drug-Free Schools and Campuses Regulations [34 CFR Part 86]. A Guide for University and College Administrators. http://www.edc.org/hec/pubs/dfscr.htm